Forklift Training Course Alberta

Forklift Training Course Alberta - Federal and industry regulators have established the criteria for forklift safety training based on their existing regulations and standards. Individuals wanting to utilize a forklift must complete a forklift training program prior to utilizing one of these machinery. The accredited Forklift Operator Training Program is intended to provide those training with the information and practical skills to become a forklift operator.

Vehicle and Mobile Equipment safety rules that apply to forklift use consist of pre-shift checks, and rules for lifting and loading.

Prior to a shift starting, an inspection checklist needs to be completed and given to the Instructor or Supervisor. If whichever maintenance issue is discovered, the equipment must not be utilized until the problem is addressed. To be able to indicate the machine is out of order, the keys have to be removed from the ignition and a warning tag placed in a place which is seen.

Loading safety rules include checking the forklift nameplate's rating capacity and knowing if the load weight falls within capacity. The forklift forks must be in the downward position when the forklift is starting up. Don't forget that there is a loss of roughly 100 pounds carrying capacity for every one inch further away from the carriage that the load is carried.

To safely lift a palletized load, drive the forklift toward the pallet and stop with the fork three inches away from the load. Level the mast until it is at right angles to the load. Lift the forks to an inch beneath the slot on the pallet and drive forward. Next lift forks four inches. Tilt back the load to be able to secure it for moving. Drive the lift in reverse if the load obscures frontal vision. Check behind and honk in order to warn other employees. Do not allow forks to drag on the ground.

The load should be loaded by the forklift in such a way that ensures the load is secure and would not create a danger to other objects or people. Restraining loads is necessary for materials which may shift during transport and destabilize the forklift.

Drums can be strapped together so as to prevent shifting and movement of the drums. Operators of forklifts must drive slowly when lifting liquids, to reduce instability in the forklift.